

Our Toolkit

What We Use at WebSanity

R. Scott Granneman & Jans Carton

© 2013 R. Scott Granneman
Last updated 2015-06-16

You are free to use this work, with certain restrictions.
For full licensing information, please see the last slide/page.

Notes & URLs for this presentation can be found...

- » underneath the link to this slide show on granneman.com
- » at files.granneman.com/presentations/webdev/Our-Toolkit.txt

Desktop

Development

BBEdit

Excellent, powerful text editor dating back to 1992!

www.barebones.com/products/bbedit/

\$50





Currently Open Documents

- Bootstrap 102.markdown
- header.php
- Secure Communications.txt
- untitled text
- untitled text 50
- untitled text 45
- untitled text 15
- untitled text 8
- untitled text 5
- untitled text 28
- untitled text 42

File Path : sftp://gilgamesh.websanity.com:22/var/shared_assets/multiblog/wp-content/themes/wu.granneman.com/header.php

header.php (no symbol selected)

```
1 <?php
2 /**
3  * The Header for our theme.
4  *
5  * Displays all of the <head> section and everything up till <div id="main">
6  *
7  * @package WordPress
8  * @subpackage Twenty_Ten
9  * @since Twenty Ten 1.0
10 */
11 ?><!DOCTYPE html>
12 <html <?php language_attributes(); ?>>
13 <head>
14 <meta charset="<?php bloginfo( 'charset' ); ?>" />
15 <title><?php
16 /**
17  * Print the <title> tag based on what is being viewed.
18  */
19 global $page, $paged;
20
21 wp_title( '|', true, 'right' );
22
23 // Add the blog name.
24 bloginfo( 'name' );
25
26 // Add the blog description for the home/front page.
```

Recent Documents

- header.php
- Bootstrap 102.markdown
- Course Outline.txt
- Secure Communications.txt





Sublime Text

A powerful modern text editor with advanced features

www.sublimetext.com

\$70





OPEN FILES

- OmniOutliner documents are store
- # Bootstrap 101: portfolio-bootstrap
- explain local computer vs web serv
- Add slides on:

header.php

```
1 <?php
2 /**
3  * The Header for our theme.
4  *
5  * Displays all of the <head> section and everything up till <div id="main">
6  *
7  * @package WordPress
8  * @subpackage Twenty_Ten
9  * @since Twenty_Ten 1.0
10 */
11 ?><!DOCTYPE html>
12 <html <?php language_attributes(); ?>>
13 <head>
14 <meta charset="<?php bloginfo( 'charset' ); ?>" />
15 <title><?php
16     /*
17     * Print the <title> tag based on what is being viewed.
18     */
19     global $page, $paged;
20
21     wp_title( '|', true, 'right' );
22
23     // Add the blog name.
24     bloginfo( 'name' );
25
26     // Add the blog description for the home/front page.
```

Espresso

Web development IDE (but we use it just for CSS)

macrabb.it.com/espresso/

\$75



bootstrap.css

```
607 @media (min-width: 768px) {
608     .dl-horizontal dt {
609         float: left;
610         width: 160px;
611         overflow: hidden;
612         clear: left;
613         text-align: right;
614         text-overflow: ellipsis;
615         white-space: nowrap;
616     }
617     .dl-horizontal dd {
618         margin-left: 180px;
619     }
620 }
621 abbr[title],
622 abbr[data-original-title] {
623     cursor: help;
624     border-bottom: 1px dotted #999;
625 }
626 .initialism {
627     font-size: 90%;
628     text-transform: uppercase;
629 }
630 blockquote {
631     padding: 10px 20px;
632     margin: 0 0 20px;
633     font-size: 17.5px;
634     border-left: 5px solid #eee;
635 }
```

NAVIGATOR

▼ @media (min-width: 768px)

.dl-horizontal dt

.dl-horizontal dd

abbr[title],abbr[data-original-tit...

.initialism

blockquote

blockquote p:last-child,blockquote ul:last-ch...

blockquote footer,blockquote small,blockquote .sm...

blockquote footer:before,blockquote small:be...

Aa Text

✳ Decoration

📐 Layout

Color: Size: Style: **B** **B+i** *i* NoneDecoration: aa ~~aa~~ aa None

Variant: SMALL CAPS Normal

Capitalize: Abc ABC abc None

Font Family: + - × A ▼Alignment:

→| Abc A_b_c Abc_De


 White space:

Brackets

Flexible open source editor for HTML, CSS, & JavaScript with advanced features

brackets.io

\$0



Working Files



bootstrap.css

• index.htm

• portfolio.css

Portfolio-Bootstrap

▼ css

bootstrap-theme.css

bootstrap-theme.css.map

bootstrap-theme.min.css

bootstrap.css

bootstrap.css.map

bootstrap.min.css

portfolio.css

► fonts

index.htm

▼ js

bootstrap.js

bootstrap.min.js

```
15     <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
16     <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js">
    </script>
17     <![endif]-->
18     <link rel="stylesheet" href="css/portfolio.css">
19 </head>
20 ▼ <body>
21     <h1>Scott Granneman</h1>
22
23     <h2>About</h2>
24
25 ▼     <p>
26         <b class="author">Scott Granneman</b> lorem ipsum dolor sit amet, consectetur
        adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut
        enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea
        commodo consequat.
```

x ● portfolio.css : 2

```
2 ▼ .author {
3     text-transform: uppercase;
4 }
```

```
27     </p>
28
29 ▼     <p>
30         Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu
        fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa
        qui officia deserunt mollit anim id est laborum
```

CodeKit

Compile pre-processor languages, auto-refresh browsers, install Bower components, minify code, add frameworks, & more

incident57.com/codekit/

\$32





csoats



PROJECTS

- csoats
- facebook-form
- bootstrap-3.3.4-dist

FRAMEWORKS

- Skeleton-2.0.4

- **_includes**
- **_layouts**
- **_plugins**
- **_posts**
- ▾ **_sass**
 - _base.scss
 - _layout.scss**
 - _syntax-highlighting.scss
- ▾ **_site**
 - **2011**
 - **2012**
 - **2013**
 - **2014**
 - **2015**
 - **colophon**
 - **css**
 - **images**
 - **js**
 - **page**
 - **search**
 - **subscribe**
 - apple-touch-icon-precomposed.png
 - apple-touch-icon.png
 - favicon.png
 - index.html
 - **colophon**
 - **css**



SASS

Output style:

Debug info:

Other options:

- Create a source map
- Use the libsass compiler

After compiling:

- Run Bless on the CSS file
- Run Autoprefixer on the CSS file

OUTPUT

- This file generates an output file
 - No direct output

Compile

Tower

Git client

www.git-tower.com

\$59



Open
Fetch
Pull
Push
Apply Stash
Save Stash
Merge
Rebase
Git-Flow
Refresh
Search

Repositories > CarParts Website (master) Clone

Workspace

- Working Copy **5**
- History
- Stashes
- Settings

Branches

- master **HEAD** 2

Tags

Remotes

- origin
 - master

Submodules

master > origin/master

Commit Subject

Stage All Commit

| Status | Filename |
|---------------------------------------|--------------|
| <input checked="" type="checkbox"/> M | about.html |
| <input type="checkbox"/> D | error.html |
| <input type="checkbox"/> ? | img/icon.png |
| <input type="checkbox"/> M | index.html |
| <input checked="" type="checkbox"/> A | product.html |

index.html Staged Unstaged

2 chunks, 3 insertions, 2 deletions

@@ -12,9 +12,10 @@ Discard Lines Stage Lines

```

12 | 12 | <div id="contentWrapper">
13 | 13 |   <div id="navigation">
14 | 14 |     <ul>
15 | 15 |       <li><a href="index.html">Home</a></li>
    |    | <li><a href="about.html">About</a></li>
    |    | <li><a href="about.html">About Us</a></li>
    |    | <li><a href="product.html">Product</a></li>
17 | 18 |     <li><a href="imprint.html">Imprint</a></li>
18 | 19 |   </ul>
19 | 20 | </div>
20 | 21 |
  
```

@@ -26,9 +27,9 @@ Discard Chunk Stage Chunk

```

26 | 27 | <p class="learnParagraph">
27 | 28 |   <a href="learn">Visit our "learn" section.</a>
28 | 29 | </p>
29 | 30 | <p class="blogParagraph">
    |    | <a href="blog">Read our blog.</a>
    |    | <a href="blog">Read our new blog.</a>
31 | 32 | </p>
32 | 33 | <p class="twitterParagraph">
33 | 34 |   <a href="http://www.twitter.com/gittower">Follow us.</a>
34 | 35 | </p>
  
```

Remote Activity

- Fetching origin
 - [up to date] master...

Dash

Offline API documentation browser & code snippet manager

kapeli.com/dash

\$20



DOCUMENTATION

- HTML
 - Tags **134**
 - CSS
 - Classes **85**
 - Elements **11**
 - Functions **57**
 - Properties **374**
 - Types **19**
 - Markdown
 - Man Pages
 - Bootstrap 3
 - Less
 - Python 3
 - Python 2
 - PHP
 - WordPress
 - MySQL
 - jQuery
 - Bourbon
 - LaTeX
 - Git
 - Regular Expressions
 - HTML Entities
 - Atom
 - Sublime Text 3
 - Vim
 - HTTP Status Codes
 - Font Awesome

<aside>

IN THIS ARTICLE +

The *HTML <aside> Element* represents a section of a page that consists of content that is tangentially related to the content around it, which could be considered separate from that content. Such sections are often represented as sidebars or as inserts. They often contain side explanations, like a glossary definition; more loosely related stuff, like advertisements; the biography of the author; or in web-applications, profile information or related blog links.

Usage notes:

- Do not use the `<aside>` element to tag parenthesized text, as this kind of text is considered part of the main flow.


| | |
|-----------------------------------|---|
| Content categories: | Flow content, sectioning content, palpable content. |
| Permitted content: | Flow content. |
| Tag omission: | None, both the starting and ending tag are mandatory. |
| Permitted parent elements: | Any element that accepts flow content. Note that an <code><aside></code> element must not be a descendant of an <code><address></code> element. |
| DOM interface: | <code>HTMLElement</code> |

Zeal

Copy of Dash without code snippets

zealdocs.org

\$0





Docs

Qt 5.0

qtgui

QtGui 5.0: Qt GUI

Enable simple mode



Docmark this page

Qt GUI

The Qt GUI module provides classes for windowing system integration, event handling, OpenGL and OpenGL ES integration, 2D graphics, basic imaging, fonts and text. These classes are used internally by Qt's user interface technologies and can also be used directly, for instance to write applications using low-level OpenGL ES graphics APIs.

For application developers writing user interfaces, Qt provides higher level API's, like Qt Quick, that are much more suitable than the enablers found in the Qt GUI module.

Getting started

To include the definitions of the module's classes, use the following directive:

```
#include <QtGui>
```

Application Windows

The most important classes in the Qt GUI module are `QGuiApplication` and `QWindow`. A Qt application that wants to show content on screen, will need to make use of these. `QGuiApplication` contains the main event loop, where all events from the window system and other sources are processed and dispatched. It also handles the application's initialization and finalization.

The `QWindow` class represents a window in the underlying windowing system. It provides a number of virtual functions to handle events (`QEvent`) from the windowing system, such as touch-input, exposure, focus, key strokes

Contents

- ↓ [Getting started](#)
- ↓ [Application Windows](#)
- ↓ [2D Graphics](#)
- ↓ [OpenGL and OpenGL ES integration](#)
- ↓ [Qt GUI prior to Qt 5.0](#)
- ↓ [Drag and Drop](#)
- ↓ [Reference](#)

Tags [what is this?](#)

[2d](#)
[3d](#)
[graphics](#)
[gui](#)
[qt gui](#)
[qt_5_0](#)

Ratings [what is this?](#)

3

[Log in to rate this](#)

Select version

Qt 5.0

API Lookup

- [Class index](#)
- [Function index](#)
- [Modules](#)
- [C++ Classes by Module](#)
- [QML APIs by Module](#)
- [All Qt references](#)

Getting Started

➤ [Getting Started with Qt](#)

- ▶ [Django](#)
- ▶ [Qt5](#)
 - ▶ [functions](#)
 - ▶ [modules](#)
 - Active Qt
 - Qt Concurrent
 - Qt Core
 - Qt D-Bus
 - Qt Declarative
 - Qt Designer
 - Qt GUI**
 - Qt Graphical Effects
 - Qt Help
 - Qt Image Formats
 - Qt Multimedia
 - Qt Network
 - Qt OpenGL
 - Qt Print Support
 - Qt QML
 - Qt Quick
 - Qt SQL
 - Qt SVG
 - Qt Script
 - Qt Script Tools
 - Qt Test
 - Qt UI Tools
 - Qt WebKit
 - Qt WebKit Widgets
 - Qt Widgets
 - Qt XML
 - Qt XML Patterns
- ▶ [jQuery](#)
- ▶ [python-2.7.3-docs-html](#)

Kaleidoscope

Diff & merge tool for text, images, & folders

www.kaleidoscopeapp.com

\$70



A portfolio-bootstrap portfolio-bootstrap-9.htm

B portfolio-bootstrap portfolio-bootstrap-10.htm

```
dignissim. Duis et augue facilisis, varius orci eu, sagittis
velit. Pellentesque vulputate, orci eu euismod faucibus,
purus felis vestibulum orci, eu pellentesque lorem felis eget
quam.
```

29 </p>

30

31 <!-- Portfolio -->

32 <h2>Portfolio</h2>

33

34 <!-- Painting -->

35 <h3>Paintings</h3>

36

37 <div class="row">

38 <div class="col-sm-6 col-md-4">

39 <img src="images/
chambre-arles-th.jpg" alt="Painting 1">

```
dignissim. Duis et augue facilisis, varius orci eu, sagittis
velit. Pellentesque vulputate, orci eu euismod faucibus,
purus felis vestibulum orci, eu pellentesque lorem felis eget
quam.
```

29 </p>

30

31 <!-- Portfolio -->

32 <h2>Portfolio</h2>

33

34 <!-- Painting -->

35 <h3>Paintings</h3>

36

37 <div class="row">

38 <div class="col-sm-6 col-md-4">

39 <a href="#" class="thumbnail" data-toggle="modal"
data-target="#painting1"><img src="images/chambre-arles-
th.jpg" alt="Painting 1">

40 <div class="modal fade" id="painting1"
tabindex="-1" role="dialog" aria-labelledby="basicModal"
aria-hidden="true">

41 <div class="modal-dialog">

42 <div class="modal-content">

43 <div class="modal-header">

44 <button type="button" class="close" data-
dismiss="modal" aria-hidden="true">&times;</button>


45 <h4 class="modal-title"
id="myModalLabel">Van Gogh's Bedroom in Arles</h4>

DeltaWalker

Diff text files, folders, Office documents, & images

www.deltopia.com/compare-merge-sync/

\$30



```
6 <meta name="viewport" content="width=device-width, init
7 <title>Bootstrap 101</title>
8 <link href="css/bootstrap.css" rel="stylesheet">
9 <link href="css/site.css" rel="stylesheet">
10 <script src="js/jquery.min.js"></script>
11 <script src="js/bootstrap.min.js"></script>
12 </head>
13 <body>
14
15 <nav class="container navbar navbar-default">
16 <!-- Brand Navigation (Logo links to home page) -->
17 <div class="navbar-header">
18 <a class="navbar-brand" href="#" title="Home">Color
19 </div>
20 <!-- Core Navigation -->
21 <div class="collapse navbar-collapse">
22 <ul class="nav navbar-nav">
23 <li class="dropdown">
24 <a href="#" class="dropdown-toggle">Primary</a>
25 <ul class="dropdown-menu">
26 <li><a href="#">Red</a></li>
27 <li><a href="#">Yellow</a></li>
28 <li><a href="#">Blue</a></li>
29 </ul>
30 </li>
31 <li class="dropdown">
32 <a href="#" class="dropdown-toggle">Secondary</a>
33 <ul class="dropdown-menu">
```



```
11 <script src="js/bootstrap.min.js"></script>
12 </head>
13 <body>
14
15 <nav class="container navbar navbar-default">
16 <div class="navbar-header">
17 <button type="button" class="navbar-toggle" data-t
18 <span class="sr-only">Toggle navigation</span>
19 <span class="icon-bar"></span>
20 <span class="icon-bar"></span>
21 <span class="icon-bar"></span>
22 </button>
23 <a class="navbar-brand" href="#" title="Home">Color
24 </div>
25 <div class="collapse navbar-collapse" id="site-nav">
26 <ul class="nav navbar-nav">
27 <li class="dropdown">
28 <a href="#" class="dropdown-toggle" data-toggle
29 <ul class="dropdown-menu">
30 <li><a href="#">Red</a></li>
31 <li><a href="#">Yellow</a></li>
32 <li><a href="#">Blue</a></li>
33 </ul>
34 </li>
35 <li class="dropdown">
36 <a href="#" class="dropdown-toggle" data-toggle
37 <ul class="dropdown-menu">
38 <li><a href="#">Orange</a></li>
39 <li><a href="#">Green</a></li>
```

BrowserStack

Test websites on a huge range of browsers on platforms

www.browserstack.com

\$39/month & up



Internet

iTerm 2

Powerful, flexible, open source terminal emulator

www.iterm2.com

\$0



sgranne@virgil:~

open /Applications/Google\ Chrome.app/ --args --remote-debugging-port=9222

sgranne@virgil:~

open /Applications/Google\ Chrome.app/ --args --remote-debugging-port=9222

sgranne@virgil:~

brew update && brew upgrade

Updated Homebrew from 5de45179 to eac1ef3f.

=> New Formulae

homebrew/boneyard/storm libltdc

phinze/cask/imagemin

tta

=> Updated Formulae

bitlbee

monotone

phinze/cask/praat

chrome-cli

neo4j

phinze/cask/scopes

clac

nvm

phinze/cask/tapped

cc

open-ocd

phinze/cask/untapped_qualified

forth

openssl

phinze/cask/uri

git-annex

par2tbb

pyenv

love

phinze/cask/appium

sqlite

peg-turbo

phinze/cask/brackets

suricata

libmongoclient

phinze/cask/cask

youtube-dl

mono

phinze/cask/list

=> Deleted Formulae

fortran storm

=> Upgrading 1 outdated package, with result:

youtube-dl 2014.05.16.1

=> Upgrading youtube-dl**=> Downloading https://downloads.sf.net/project/machomebrew/Bottles/youtube-dl-2014.05.16.1.maveric**

100.0%

=> Pouring youtube-dl-2014.05.16.1.mavericks.bottle.tar.gz

Transmit

File transfer via FTP, SFTP, S3, & WebDAV

panic.com/transmit/

\$34



| Name ▲ | Size | Date | Kind |
|----------------------------|------|------------|--------|
| ▶ Applications | -- | 2014-04-19 | folder |
| ▶ Applications (Parallels) | -- | 2014-03-18 | folder |
| ▶ bin | -- | 2013-12-29 | folder |
| ▶ Brow | -- | 2013-10-22 | folder |
| ▶ Desktop | -- | 2014-05-16 | folder |
| ▶ Documents | -- | 2014-05-09 | folder |
| ▶ Downloads | -- | 2014-05-16 | folder |
| ▶ Dropbox | -- | 2014-05-16 | folder |
| ▶ Library | -- | 2014-04-13 | folder |
| ▶ Movies | -- | 2014-05-09 | folder |
| ▶ Music | -- | 2014-05-09 | folder |
| ▶ Pictures | -- | 2014-05-09 | folder |
| ▶ Public | -- | 2014-05-09 | folder |

| Name ▲ | Size | Date |
|-------------------|-------|-----------------------|
| functions.php | 4 KB | Sep 1, 2013, 12:40 PM |
| header.php | 4 KB | Oct 7, 2013, 9:10 PM |
| loop.php | 8 KB | Dec 13, 2011, 2:04 PM |
| page.php | 1 KB | Dec 13, 2011, 2:04 PM |
| sidebar.php | 2 KB | Dec 13, 2011, 2:04 PM |
| single.php | 3 KB | Dec 13, 2011, 2:04 PM |
| style.css | 13 KB | Feb 5, 2014, 3:35 PM |
| toggle-sidebar.js | 293 B | Dec 13, 2011, 2:04 PM |


Multimedia

Photoshop

Premier image editor

www.photoshop.com

\$20/month





Adobe® Photoshop® CC

Version 14.0 x64

Thomas Knoll, Seetharaman Narayanan, Russell Williams, David Hackel, Barry Young, Jackie Lincoln-Owyang, Maria Yap, Barkin Aygun, Vinod Balakrishnan, Foster Brereton, Jeff Chien, Jon Clauson, Jeffrey Cohen, Chris Cox, Alan Erickson, Pete Falco, Paul Ferguson, John Hanson, Jerry Harris, Kevin Hopps, Joseph Hsieh, Chintan Inwala, Betty Leong, Tai Luxon, Mark Maguire, I-Ming Pao, Renbin Peng, John Peterson, Dave Polaschek, Thomas Ruark, Yuyan Song, Sarah Stuckey, Nikolai Svakhin, John Worthington, Tim Wright, Andrew Coven, David Howe, Sarah Kong, Wennie Leung, Tom McRae, Jeff Sass, Yukie Takahashi, Steven Eric Snyder, Melissa Monroe, Pam Clark, Zorana Gee, Bryan O'Neil Hughes, Stephen Nielson, Jeffrey Tranberry, Tim Riot, B. Winston Hendrickson, Michael Orts, Russell Preston Brown, Adriana Ohmeyer, Dave Dobish, Vishal Rana, Ravi Jain, Heather Barrett, Shawn Cheri, Rick Miller, Dongfang Gou

[Click here for legal notices.](#)

© 1990-2013 Adobe Systems Incorporated. All rights reserved.

Color Swatches

R 0
G 0
B 0

Adjustments Styles

Add an adjustment



Layers Channels Paths

Kind: [icon] [icon] [icon] [icon] [icon]

Normal [icon] Opacity: [icon]


Locks [icon] [icon] [icon] [icon] Fill [icon]

Illustrator

Premier vector drawing tool, especially for SVG

www.adobe.com/products/illustrator.html

\$20/month





Acorn

A much easier-to-use image editor than Photoshop

www.flyingmeat.com/acorn/

\$50



Tools

- Move tool
- Zoom tool
- Selection tools (rect, lasso, magic wand)
- Eraser
- Brush
- Clone stamp
- Pattern stamp
- Gradient
- Text tool
- Shape tools (rectangle, rounded rectangle, ellipse, line)
- Fill tool
- Stroke tool
- Layer tools (lock, unlock, delete)



Crop

X: 15 Width: 940

Y: 3 Height: 687

Keep crop bounds inside canvas

Preset: Choose Preset

Save As Preset...

Crop Image

Hint: Use the arrow keys for pixel precise placement.

Blending: Normal Opacity: 100%

2012-11-24 22.59.18

+ fx ⚙

ScreenFlow

Powerful screencast recorder & editor

www.telestream.net/screenflow/

\$100



Scott Granneman's Classes

Home About Syllabi

Scott Granneman's Classes
Syllabi, Readings, and Research

Tags & Categories
Abandoned Purchases
Absurdity
Addiction
Advertising
Advice
Aggregation
Amazon
Anonymity
Apple
Architecture
Archiving
Art
Assignments
Audio Resource
Automobiles
Banking
Biometrics
Biotechnology
BitTorrent

Home
Syllabi for Current Courses
From Blogs to Wikis Syllabus
Using Everyday Technology Syllabus

Quotations
"We tend to overestimate the effect of a technology in the short run and underestimate the effect in the long run."
~ Roy Amara of the Institute for the Future
"... all cultural change is essentially technology-driven."
~ William Gibson, "My Own Private Idaho". *Wired* (September 2001): 117.
"Experience with technology teaches us that once a technology makes something possible, it gets applied whether for good or bad."
~ Harold A. Norman
"Any technology has got to fail twice before it can succeed."
~ Paul Saffo
"The most powerful opportunities for human progress are rooted not in electronics but in understandings of social practices. Sociologists, political scientists, evolutionary biologists, even students

Recent Posts
Articles about Twitter
Spring 2009 Practical Security Syllabus
Spring 2009 Technology and the Law Syllabus
Spring 2009 Search Engines Syllabus
The 3 key parts of news stories you usually don't get
Five Key Reasons Why Newspapers Are Failing

Yay, fair use!

Your Media

Screen Recording 8/...

Built-in iSight

When The Levee Brea...

CC Attribution-Share...

Zoom: [Slider]

Add Media...

Add Recording...

00:03:19 22

3m6s 3m8s 3m10s 3m12s 3m14s 3m16s 3m18s 3m20s 3m22s 3m24s 3m26s 3m28s 3m30s 3m32s

yay, fair use!

Duration: 4 mins 20 secs

Automation

Alfred 2

Application launcher & much, much more

www.alfredapp.com

\$0 + \$23



-  **Default Results**
Scope, Types, Fallbacks
-  **File Search**
Navigation, Buffer, Actions
-  **Web Search**
Custom, URLs, History
-  **Calculator**
Standard, Advanced
-  **Dictionary**
Spelling, Definitions
-  **Contacts**
Viewer, Emailing
-  **Clipboard**
History, Snippets, Merging
-  **iTunes**
Mini Player
-  **1Password**
1Click Bookmarks
-  **System**
Commands, Quitting, Ejecting
-  **Terminal / Shell**
Custom keyword, terminal



Default Results

These are the main results Alfred presents by default, and where he looks for them.

- Essentials:**
- Applications
 - Preferences
 - Contacts
 - Bookmarks - Safari
- Extras:**
- Folders
 - Archives
 - Images
 - Text Files
 - Documents
 - AppleScripts

[Advanced...](#)

Note: Alfred works most efficiently if you only have 'Essential' items ticked and use the 'open' keyword to find files. You can also press [spacebar] immediately after activating Alfred to quickly enter the file search mode.

Unintelligent: Search all file types

WARNING: Selecting this will slow down and muddle the default search results considerably. Use 'open' and 'find' for file operations instead.

Search Scope:

- + Reset
-  /Applications
 -  /Applications/Xcode.app/Contents/Applications
 -  /Developer/Applications
 -  /Library/PreferencePanes
 -  /opt/homebrew-cask/Caskroom
 -  /System/Library/PreferencePanes
 -  ~/Library/Caches/Metadata/
 -  ~/Library/Mobile Documents/
 -  ~/Library/PreferencePanes

These folders define where Alfred looks for files, applications and metadata. Fewer paths give more accurate results. Drag and drop folders above.

Include folders in Home
Excluding ~/Library

Fallbacks: [Setup fallback results](#)

Define what you see when Alfred is unable to find any results. By default, Alfred shows Google, Amazon and Wikipedia.

Keyboard Maestro

Create keyboard macro shortcuts that can automate just about anything

www.keyboardmaestro.com

\$36





| Groups | Macros | |
|--------|---|----------|
| | 00)—————OPEN | None |
| | 01)W. Open With | W |
| | 02)A. Open Image(s) in Acorn | A |
| | 20)—————MULTIMEDIA | None |
| | 21)C. Convert Images | C |
| | 22)R. Lossless Rotate JPEGs | R |
| | 23)G. Open in Graphic Converter | G |
| | 24)O. Optimize Images | O |
| | 25)J. Move images to Jekyll & create M... | J |
| | 26)H. Convert Videos to M4V | H |
| | 27)I. Convert Screenshots For CodePen | I |
| | 30)—————NAMES | None |
| | 32)M. Prepend Modified Timestamp | M |
| | 33)←. Prepend Date | ← |
| | 34)→. Append Date | → |
| | 35)P. Convert to PDF | P |
| | 40)—————METADATA | None |
| | 41)L. Choose Label Color | L |
| | 80)—————FOLDERS | None |
| | 81)F. Create n Folders | F |
| | #! 82)\$. Create Folders for Receipts | ⇧4 |
| | Process Comics | ⇧⇧⌘C |
| | Z. Create CBZ Files From Folders | Z |

21)C. Convert Images

Triggered by any of the following:

-  The Status Menu
-  The Hot Key C is pressed

Will execute the following actions:

-  Prompt for User Input 'Convert to what format?'
 - Your choices: gif, jpg, png, tiff
 - Input the following variables:
 - Image Format (default to 'jpg')
 - Finish with the following buttons:
 - OK
 - Cancel (cancel macro)
 - Store button pressed in variable 'Result Button'.

For Each Item in the Collection Execute Actions

-  The items in the (fixed) Finder selection

Execute the Following Actions:

Execute Shell Script

```
# Get extension (ex.: png)
```

```
current_extension=$(basename "$KMVAR_file" | awk -F "." {print
```



TextExpander

Text snippet expander

smilesoftware.com/TextExpander/

\$35





New Snippet



New Group




Delete



Statistics



Preferences



Filter

Filter



Help

- ▶ RSG Octopress
- ▶ RSG Abbreviations
- ▶ RSG AutoCorrect
- ▼ RSG Code: HTML
 - : (colon) character entity ,:
 - ,a
 - <body> %| </body> ,body
 - <blockquote>.../blockquote> ,bq
 -
 ,br
 - <button typ...> </button> ,button
 - <div class=".../p> </div> ,callout
 - <input typ...value="" /> ,checkbox
 - <code>%|</code> ,code
 - <!-- %| --> ,comment
 - <link rel="st...="screen" /> ,csslink
 - <dd>%|</dd> ,dd
 - ↩ ,df
 - <div id="%|" class=""></div> ,div
 - <dl> <dt>%|...></dd> </dl> ,dl
 - <dt>%|</dt> ,dt
 - <!DOCTYPE.../strict.dtd"> ,dtdhtml4
 - <!DOCT...ose.dtd"> ,dtdhtml4trans
 - <!DOCTYPE html> ,dtdhtml5
 - <!DOCTYPE...trict.dtd"> ,dtdxhtml1
 - <!DOCTY...l11.dtd"> ,dtdxhtml11

Content: Plain Text

```
<blockquote>
  %|
</blockquote>
```

Label: <blockquote> %| </blockquote>

Abbreviation: Adapt to Case of Abbreviation

,bq

Security

1Password

Powerful & easy-to-use password (& much more!) safe

agilebits.com/onepassword

\$50



- All Items (40)
- Favorites (12)
- CATEGORIES
- Logins (28)
- Secure Notes (1)
- Credit Cards (3)
- Identities (3)
- Driver Licenses (1)
- Reward Programs (1)
- Software Licenses (3)
- FOLDERS
- TAGS
- SECURITY AUDIT

| Title | Website | Username | Passwor... | Modified | Created |
|-------------------------|--------------------|--------------------|-------------------------------------|------------|------------|
| Amazon | amazon.com | wendy_appleseed | <input checked="" type="checkbox"/> | 2014-03-27 | 2009-07-10 |
| appshopper.com | appshopper.com | wendyappleseed | <input type="checkbox"/> | 2012-11-17 | 2012-11-17 |
| Ars Technica | arstechnica.com | wendy_appleseed | <input type="checkbox"/> | 2012-11-07 | 2011-09-07 |
| Bank of America Savings | bankofamerica.com | 321932112932122 | <input checked="" type="checkbox"/> | 2012-11-07 | 2009-07-10 |
| BrokenArrowWear | brokenarrowwea... | wendyappleseed | <input type="checkbox"/> | 2012-11-07 | 2012-08-13 |
| Citibank (business) | citi.com | 852083482143 | <input type="checkbox"/> | 2012-11-07 | 2009-07-10 |
| Citibank (personal) | citi.com | 324328926325 | <input type="checkbox"/> | 2012-11-07 | 2009-07-10 |
| daringfireball.net | daringfireball.net | wendy.h.applese... | <input type="checkbox"/> | 2012-11-07 | 2012-08-13 |
| Dropbox | dropbox.com | wendyappleseed... | <input type="checkbox"/> | 2012-11-07 | 2011-06-20 |
| eBay | ebay.com | wendy.appleseed | <input type="checkbox"/> | 2012-11-07 | 2009-07-10 |
| etsy.com | etsy.com | wendyappleseed | <input type="checkbox"/> | 2013-04-05 | 2013-04-05 |
| Evernote | evernote.com | wendy-appleseed | <input type="checkbox"/> | 2012-11-07 | 2011-09-07 |
| Facebook | facebook.com | wendy.h.applese... | <input type="checkbox"/> | 2012-11-07 | 2012-08-13 |
| Fitbit | fitbit.com | wendy.h.applese... | <input type="checkbox"/> | 2012-08-14 | 2012-08-13 |
| GMail (personal) | google.com | wendy.h.appleseed | <input type="checkbox"/> | 2012-11-07 | 2012-08-13 |
| iMore Forums | imore.com | wendy appleseed | <input type="checkbox"/> | 2012-11-07 | 2009-10-10 |



Bank of America Savings copy



username 321932112932122
password HtvWUaNdonc2HAJqaVib
strength
website www.bankofamerica.com

show web form details



Edit

Dropbox

Synchronize & share files

www.dropbox.com

\$0 / \$100 / \$200 annually



iOS





Dropbox



Files

Photos

Sharing

Links

Events

Application Support [Invite to folder...](#) [Share link...](#) [Download](#) [Delete...](#) [Rename](#) [More](#)

| | | | |
|--|---------------------|---------------|----|
| | 1Password | folder | -- |
| | Application Support | folder | -- |
| | Apps | folder | -- |
| | bin | folder | -- |
| | Camera Uploads | folder | -- |
| | CSOATS | folder | -- |
| | DeniseScottShare | shared folder | -- |
| | Documents | folder | -- |
| | GradeBook Pro | folder | -- |
| | GranneWoltMan | shared folder | -- |
| | Incoming | folder | -- |
| | mapping automation | shared folder | -- |

Try Dropbox for Business!


Start with 1000GB for 5 people

CrashPlan

Encrypted cloud backup

www.crashplan.com

\$4/month



iOS



 Backup Restore Settings History Friends Destinations

Destinations

 [CrashPlan Central](#)

Next backup in 10 minutes ⓘ

To do: 189 files (34.5MB)

Completed: 664,175 files (164.3GB)

Last backup: 5 minutes ago

 [Friend](#) (Free!) [Another Computer](#) (Free!) [Folder](#) (Free!)

Files

| | | |
|--|--------------|---------|
|  Applications > Git | 27,341 files | 493.3MB |
|  private > var > spool > pdfwriter > rsgranne | 74 files | 39.8MB |
|  Users > rsgranne > .bash_history | 1 file | 39KB |
|  Users > rsgranne > .ec2 | 4 files | 3.5KB |
|  Users > rsgranne > .gitconfig | 1 file | 1KB |
|  Users > rsgranne > .gitignore | 1 file | 1KB |
|  Users > rsgranne > .gnupg | 24 files | 535.9KB |
|  Users > rsgranne > .s3cfg | 1 file | 1.2KB |
|  Users > rsgranne > .s3conf | 2 files | 1KB |
|  Users > rsgranne > .ssh | 21 files | 75.9KB |
|  Users > rsgranne > .viminfo | 1 file | 1.6KB |
|  Users > rsgranne > .vimoutliner | 7 files | 11.4KB |
|  Users > rsgranne > .vimrecent | 1 file | 1KB |
|  Users > rsgranne > bin | 2,950 files | 71.3MB |
|  Users > rsgranne > Desktop | 3,236 files | 1GB |
|  Users > rsgranne > Documents | 57 files | 5.7MB |
|  Users > rsgranne > Downloads | 32,549 files | 31.4GB |

Writing

OmniOutliner

Feature-rich, powerful outlining tool

www.omnigroup.com/omnioutliner/

\$50 / \$100





Hide Sidebar



Theme

100%

Zoom



Start Recording



Add Column



Inspect

CONTENTS



- ▶ Overall
- ▶ Intro
- ▶ 1 Things to Know Abo...
- ▶ 2 The Basics
- ▶ 3 Learning Abo...
- ▶ 4 Building Blocks
- ▶ 5 Viewing Files
- REMOVE: 6 Printing a...
- ▶ ADD: 6 Manipulating T...
- ▶ 7 Ownership...
- ▶ 8 Archiving a...
- ▶ 9 Finding Stuff: Easy
- ▶ 10 The find Command
- ▶ 11 Your Shell
- ▶ 12 Monitoring System...
- ▶ 13 Installing Software

STYLES



- Whole Docu...
- Column Titles
- Level 1 Rows
- Level 2 Rows
- Level 3 Rows

TopicCommand

- Redirect a Command's Output to a File >
- ▼ FIX: Prevent Overwriting Files When Using Redirection
 - Add command to beginning of chapter: set -o noclobber
- Append a Command's Output to a File >>
- Use a File As Input for a Command <
- ADD: Combine Input and Output Redirection < >
- ▼ ADD: Send Output to a File and to stdout at the Same Time tee
 - Try this:


```
find . -type f -print0 | tee /tmp/file-list | xargs -0 egrep whatever
```


Does /tmp/file-list (view it with something that doesn't mind nulls) contain your desired file(s)? If no, it's a find problem. If yes, it's an xargs matter.
- Conclusion
- ▼ 5 Viewing Files
 - FIX: Change chapter title to Viewing (Mostly Text) Files
 - NEW: Figure Out a File's Type file
 - View Files on stdout cat
 - Concatenate Files to stdout cat file1 file2
 - Concatenate Files to Another File cat file1 file2 > file3
 - ▼ FIX: Concatenate Files and Number the Lines cat -n file1 file2
 - ~~Change 2 poems in example to Ogden Nash, each 2 lines long, for shorter example~~
 - ▼ EDIT NOTE to:
 - Remove dog (it's dead)

Markdown

Lightweight markup language

en.wikipedia.org/wiki/Markdown

\$0





By JOHN GRUBER

ARCHIVE
T-SHIRTS
PROJECTS
CONTACT
COLOPHON
RSS FEED
TWITTER
SPONSORSHIP

Markdown

[Main](#) [Basics](#) [Syntax](#) [License](#) [Dingus](#)

DOWNLOAD

[Markdown 1.0.1 \(18 KB\)](#) — 17 Dec 2004

INTRODUCTION

Markdown is a text-to-HTML conversion tool for web writers. Markdown allows you to write using an easy-to-read, easy-to-write plain text format, then convert it to structurally valid XHTML (or HTML).

Thus, "Markdown" is two things: (1) a plain text formatting syntax; and (2) a software tool, written in Perl, that converts the plain text formatting to HTML. See the [Syntax](#) page for details pertaining to Markdown's formatting syntax. You can try it out, right now, using the online [Dingus](#).



The overriding design goal for Markdown's formatting syntax is to make it as readable as possible. The idea is that a Markdown-formatted document should be publishable as-is, as plain text, without looking like it's been

Pandoc

Convert between one markup format to another

johnmacfarlane.net/pandoc/

\$0



About
Installing
Getting started
Demos
 Try pandoc online
 Examples
Documentation
 User's Guide
 FAQ
 API documentation
 Contributing
 Mailing lists
 Scripting
 Making an ebook
Extras
Releases

About pandoc

If you need to convert files from one markup format into another, pandoc is your swiss-army knife. Pandoc can convert documents in [markdown](#), [reStructuredText](#), [textile](#), [HTML](#), [DocBook](#), [LaTeX](#), [MediaWiki markup](#), [OPML](#), Emacs [Org-Mode](#), or [Haddock markup](#) to

- HTML formats: XHTML, HTML5, and HTML slide shows using [Slidy](#), [reveal.js](#), [Slideous](#), [S5](#), or [DZSlides](#).
- Word processor formats: Microsoft Word [docx](#), OpenOffice/LibreOffice [ODT](#), [OpenDocument XML](#)
- Ebooks: [EPUB](#) version 2 or 3, [FictionBook2](#)
- Documentation formats: [DocBook](#), [GNU TexInfo](#), [Groff man](#) pages, [Haddock markup](#)
- Page layout formats: [InDesign ICML](#)
- Outline formats: [OPML](#)
- TeX formats: [LaTeX](#), [ConTeXt](#), LaTeX Beamer slides
- [PDF](#) via LaTeX
- Lightweight markup formats: [Markdown](#), [reStructuredText](#), [AsciiDoc](#), [MediaWiki markup](#), Emacs [Org-Mode](#), [Textile](#)
- Custom formats: custom writers can be written in [lua](#).

Pandoc understands a number of useful markdown syntax extensions, including document metadata (title, author, date); footnotes; tables; definition lists; superscript and subscript; strikethrough; enhanced ordered lists (start number and numbering style are significant); running example lists; delimited code blocks with syntax highlighting; smart quotes, dashes, and ellipses; markdown inside HTML blocks; and inline LaTeX. If strict markdown compatibility is desired, all of these extensions can be turned off.

LaTeX math (and even macros) can be used in markdown documents. Several different methods of rendering math in HTML are provided, including MathJax and translation to MathML. LaTeX math is rendered in docx using native Word equation objects.

Pandoc includes a powerful system for automatic citations and bibliographies, using the

Linode

Founded in 2003

Data centers in Texas, California, Georgia, New Jersey,
London, & Tokyo

Supports two-factor authentication

Cloud Hosting for Developers

High performance SSD Linux servers for all of your infrastructure needs.

CPU, transfer, storage, and RAM bundled into one simple price.

| | RAM | CPU | Storage | Transfer | Network In | Network Out | Price | |
|--------------------|-------|----------|-------------|----------|------------|-------------|---------------------------------|-------------------------|
| Linode 1GB | 1 GB | 1 Core | 24 GB SSD | 2 TB | 40 Gbps | 125 Mbps | \$.015 / hr (\$10 / mo) | Sign Up |
| Linode 2GB | 2 GB | 2 Cores | 48 GB SSD | 3 TB | 40 Gbps | 250 Mbps | \$.03 / hr (\$20 / mo) | Sign Up |
| Linode 4GB | 4 GB | 4 Cores | 96 GB SSD | 4 TB | 40 Gbps | 500 Mbps | \$.06 / hr (\$40 / mo) | Sign Up |
| Linode 8GB | 8 GB | 6 Cores | 192 GB SSD | 8 TB | 40 Gbps | 1000 Mbps | \$.12 / hr (\$80 / mo) | Sign Up |
| Linode 16GB | 16 GB | 8 Cores | 384 GB SSD | 16 TB | 40 Gbps | 2000 Mbps | \$.24 / hr (\$160 / mo) | Sign Up |
| Linode 32GB | 32 GB | 12 Cores | 768 GB SSD | 20 TB | 40 Gbps | 4000 Mbps | \$.48 / hr (\$320 / mo) | Sign Up |
| Linode 48GB | 48 GB | 16 Cores | 1152 GB SSD | 20 TB | 40 Gbps | 6000 Mbps | \$.72 / hr (\$480 / mo) | Sign Up |
| Linode 64GB | 64 GB | 20 Cores | 1536 GB SSD | 20 TB | 40 Gbps | 8000 Mbps | \$.96 / hr (\$640 / mo) | Sign Up |
| Linode 96GB | 96 GB | 20 Cores | 1920 GB SSD | 20 TB | 40 Gbps | 10000 Mbps | \$1.44 / hr (\$960 / mo) | Sign Up |

Linodes » (Production Servers) » **Gawain-Web**

Dashboard

Select

Configuration Profiles

Options



Generic Server (Latest 64 bit (4.0.5-x86_64-linode58))

[Edit](#) | [Remove](#)

Reboot

[Rebuild](#) | [Deploy an Image](#) | [Create a new Configuration Profile](#)

Disks



/var (43520 MB, ext4)

[Edit](#) | [Remove](#)



512MB Swap Image (512 MB, swap)

[Edit](#) | [Remove](#)



/ (Ubuntu 14.04 LTS) (5120 MB, ext4)

[Edit](#) | [Remove](#)

[Create a new Disk](#)

Host Job Queue [\(more\)](#)

Success

System Boot - Generic Server

Entered: 12 days 16 hours ago - Took: 13 seconds

Success

System Shutdown

Entered: 12 days 16 hours ago - Took: 15 seconds

Success

Host initiated restart

Entered: 3 months 14 days ago - Took: 7 seconds

Success

System Boot - Generic Server

Entered: 8 months 23 days ago - Took: 12 seconds

Server Status

Your Linode is currently

Running

Shut down

12 days uptime

Network

- Transfer/mo: 4000 GB
- Incoming: 22.7 GB
- Outgoing: 553 GB
- Total: 576 GB

You have used

13%

of your monthly transfer

Storage

- Total: 98304 MB
- Used: 49152 MB
- Free: 49152 MB

You have allocated

50%

towards disk images

Backups

Longview

Metric

[CPU](#) [Memory](#) [Swap](#) [Load](#) [Network](#)

Sort Method

[Name](#) [Metric](#)


Sort Order

[A-Z](#) [Z-A](#)


Zoom

[Small](#) [Medium](#) [Large](#) [+](#)

Gawain-Web



Lancelot-MySQL



Add Client

You are currently using 2 out of 3 available Longview clients. [Subscription options](#) · [Longview documentation](#)

Server

Ubuntu

Widely-used, versatile Linux distro

www.ubuntu.com/server

\$0





Scale out with Ubuntu Server

The leading platform for scale-out computing, Ubuntu Server helps you make the most of your infrastructure. Whether you want to deploy an OpenStack cloud, a Hadoop cluster or a 50,000-node render farm, Ubuntu Server delivers the best value scale-out performance available.

[Download Ubuntu Server](#)




What's new in 14.04 LTS


Apache

World's most widely-used web server

httpd.apache.org

\$0





Apache

HTTP SERVER PROJECT

Essentials

- [About](#)
- [License](#)
- [FAQ](#)
- [Security Reports](#)

Download!

- [From a Mirror](#)

Documentation

- [Version 2.4](#)
- [Version 2.2](#)
- [Version 2.0](#)
- [Trunk \(dev\)](#)
- [Wiki](#)

Get Support

- [Support](#)

Get Involved

- [Mailing Lists](#)
- [Bug Reports](#)
- [Developer Info](#)

Subprojects

- [Docs](#)
- [Test](#)
- [Flood](#)

The Number One HTTP Server On The Internet

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows NT. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache httpd has been the most popular web server on the Internet since April 1996, and celebrated its 17th birthday as a project this February.

The Apache HTTP Server ("httpd") is a project of [The Apache Software Foundation](#).

Apache httpd 2.4.7 Released

2013-11-25

The Apache Software Foundation and the Apache HTTP Server Project are pleased to [announce](#) the release of version 2.4.7 of the Apache HTTP Server ("Apache"). This version of Apache is our latest GA release of the new generation 2.4.x branch of Apache HTTPD and represents fifteen years of innovation by the project, and is recommended over all previous releases. This version of Apache is principally a security and bug fix release.

This version of httpd is a major release of the 2.4 stable branch, and represents the best available version of Apache HTTP Server. [New features](#) include Loadable MPMs, major improvements to OCSP support, mod_lua, Dynamic Reverse Proxy configuration, Improved Authentication/Authorization, FastCGI Proxy, New Expression Parser, and a Small Object Caching API.

[Download](#) | [New Features in httpd 2.4](#) | [Complete ChangeLog for 2.4](#) | [ChangeLog for just 2.4.7](#)

Apache httpd 2.2.26 Released

2013-11-18

The Apache HTTP Server Project is proud to [announce](#) the release of version 2.2.26 of the Apache HTTP Server ("httpd"). This version is principally a bugfix release.

This version of httpd is a major release of the 2.2 legacy branch. [New features](#) include Smart Filtering, Improved Caching, AJP Proxy, Proxy Load Balancing, Graceful Shutdown support, Large File Support, the Event MPM, and refactored Authentication/Authorization.

[Download](#) | [New Features in httpd 2.2](#) | [ChangeLog for 2.2.26](#) | [Complete ChangeLog for 2.2](#)

Apache httpd 2.0.65 Released and Retired



2013-07-09

MySQL

World's most popular open source database

www.mysql.com

\$0





The world's most popular open source database

Contact a MySQL Representative

Search

Login | Register

MySQL.com

Downloads (GA)



Products

Services

Partners

Customers

Why MySQL?

News & Events

How to Buy

GET STARTED

Try Now

MySQL Enterprise Edition

Free Webinars


White Papers

ISVs and OEMs

Buy Now

Contact Us

- 1
- 2
- 3
- 4
- 5
- 6



New! MySQL Workbench 6.1 Performance Tools

GA Now!

Learn More »

Free Webinars

"MySQL EXPLAIN, explained"
Tuesday, May 20, 2014

Upgrading to MySQL 5.6: Best Practices
Wednesday, May 21, 2014

SQL & NoSQL, The Best of Both Worlds with MySQL Cluster
Thursday, May 22, 2014

MySQL in SaaS: Best Practices, Part I
Tuesday, May 27, 2014

More Webinars

MySQL Enterprise Edition
Download Now »

MySQL Monthly Newsletter




PHP

Popular scripting language for the Web

php.net

\$0



PHP is a popular general-purpose scripting language that is especially suited to web development.

Fast, flexible and pragmatic, PHP powers everything from your blog to the most popular websites in the world.

DOWNLOAD

[5.5.12](#) · [Release Notes](#)

[5.4.28](#) · [Release Notes](#)

[5.3.28](#) · [Release Notes](#)

PHP 5.6.0beta3 Released »

15 May 2014

The PHP development team announces the immediate availability of PHP 5.6.0beta3. As we entered the feature freeze with beta1, this is a bugfix-only release. All users of PHP are encouraged to test this version carefully, and report any bugs in [the bug tracking system](#).

THIS IS A DEVELOPMENT PREVIEW - DO NOT USE IT IN PRODUCTION!

For more information about the new features you can check out the work-in-progress [documentation](#) or you can read the full list of changes in the [NEWS file](#) contained in the release archive.

For source downloads of PHP 5.6.0beta3 please visit the [download page](#). Windows binaries can be found on [windows.php.net/qa/](#).

Our fourth and final beta should show up on the 29th of May.

Thank you for helping us make PHP better.

Upgrading to PHP5.5

Conferences Calling for papers

- [Northeast PHP Conference](#)

Upcoming conferences

- [PHP Conference Argentina](#)
- [Dutch PHP Conference 2014](#)
- [php\[tek\] 2014 : Schedule Announced](#)
- [International PHP Conference - Spring Edition - 2014](#)

Concrete5

Open source, PHP- & MySQL-driven CMS

www.concrete5.org


\$0





A simple and powerful content management system.

[Get Started](#) ▶



YouTube

Site Editors



When your website is built with concrete5, you easily change content from anywhere in the world.

[» Learn More «](#)

Developers



concrete5 is a free open source content management system written in PHP.

[» Learn More «](#)

Designers



Templating concrete5 is a breeze. With a few lines of code your designs will be editable in minutes.


[» Learn More «](#)

WordPress

25% of the Web runs on WordPress!

www.wordpress.org (not really www.wordpress.com)

\$0







JavaScript

Lightweight, interpreted, object-oriented scripting language for Web pages

developer.mozilla.org/en-US/docs/Web/JavaScript

\$0



JavaScript

JavaScript[®] (often shortened to **JS**) is a lightweight, interpreted, object-oriented language with [first-class functions](#), most known as the scripting language for Web pages, but [used in many non-browser environments](#) as well such as [node.js](#) or [Apache CouchDB](#). It is a [prototype-based, multi-paradigm](#) scripting language that is dynamic, and supports object-oriented, imperative, and functional programming styles.

The JavaScript standard is [ECMAScript](#). As of 2012, all modern browsers fully support ECMAScript 5.1. Older browsers support at least ECMAScript 3. A 6th major revision of the standard is in the works. The current progress of different new and improved features can be followed on the [dedicated wiki](#).

This section of the site is dedicated to the JavaScript language itself, the parts that are not specific to Web pages, or other host environments. For information about APIs specific to Web pages, please see [Document Object Model \(DOM\)](#). Read more about how the DOM and JavaScript fit together in the [DOM Reference](#).

JavaScript is not to be confused with the [Java programming language](#).

Documentation

[JavaScript Guide](#)

If you are new to JavaScript, you should read this guide.

Tools & advanced resources

- [Firefox Developer Tools](#) - The excellent built-in tools for Firefox.
- [Koding](#) - an online development platform that makes it easy to start coding

[A re-introduction to JavaScript](#)


An overview for those who *think* they know about JavaScript

Node.js

Open source runtime environment for JavaScript apps

nodejs.org

\$0





[HOME](#) | [DOWNLOADS](#) | [DOCS](#) | [CONTRIBUTE](#) | [FOUNDATION](#) | [COMMUNITY](#) | [ABOUT](#) | [JOBS](#) | [BLOG](#)

Node.js® is a platform built on **Chrome's JavaScript runtime** for easily building fast, scalable network applications. Node.js uses an event-driven, non-blocking I/O model that makes it lightweight and efficient, perfect for data-intensive real-time applications that run across distributed devices.

Current Version: v0.12.4

[INSTALL](#)

[DOWNLOADS](#)

[API DOCS](#)



NODE.JS ON THE ROAD

PRODUCTION NODE HITS THE PAVEMENT
GET INSPIRED & INVOLVED [LEARN MORE](#)

rsync.net

Remote backup using standard UNIX software

rsync.net

\$.20/GB/month & up

rsync.net

Cloud Storage for Offsite Backups

Thank you!

scott@granneman.com

www.granneman.com

ChainsawOnATireSwing.com

[@scottgranneman](https://www.instagram.com/scottgranneman)

jans@websanity.com

websanity.com

Our Toolkit

What We Use at WebSanity

R. Scott Granneman & Jans Carton

© 2013 R. Scott Granneman
Last updated 2015-06-16

You are free to use this work, with certain restrictions.
For full licensing information, please see the last slide/page.

Changelog

2015-06-16 1.3: Removed AWS & added Linode; removed Source Tree & added Tower; removed Ruby on Rails & added Node.js; added Brackets; added Kaleidoscope; moved some things out of Development & into Internet & Multimedia

2014-06-20 1.2.1: Added Parallels screenshot

2014-05-18 1.2: Changed to new format

2013-11-16 1.1: Added Zeal

Licensing of this work

This work is licensed under the Creative Commons Attribution-ShareAlike 4.0 International License.

To view a copy of this license, visit <http://creativecommons.org/licenses/by-sa/4.0/>.

You are free to:

- » *Share* — copy and redistribute the material in any medium or format
- » *Adapt* — remix, transform, and build upon the material for any purpose, even commercially

Under the following terms:

Attribution. You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use. Give credit to:

Scott Granneman • www.granneman.com • scott@granneman.com

Share Alike. If you remix, transform, or build upon the material, you must distribute your contributions under the same license as the original.

No additional restrictions. You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits.

Questions? Email scott@granneman.com